

Test Catalog

Diagnostic. Prognostic. Predictive. Predisposition.



Plasma Cell Myeloma IgH Complex FISH Panel

Alternative Name

Multiple Myeloma (MM) IgH Complex FISH Panel

Methodology

FISH

Test Description

Probes: FGFR3/IgH t(4;14) | CCND1/IgH t(11;14) | IgH/MAF t(14;16) | IgH/MAFB t(14;20)

Probes for each translocation may be ordered separately.

This panel is available separately or by reflex after the Plasma Cell Myeloma FISH Panel if it detects IgH rearrangement. **Disease(s):** Plasma cell myeloma, multiple myeloma

Note: Plasma cell enrichment will be performed on bone marrow samples unless our client directs us otherwise. (Peripheral blood is not recommended as a screening specimen unless increased plasma cells are seen on blood smear.) Specimens should be received in our laboratory within 72 hours of collection.

Clinical Significance

The panel is performed when IgH is rearranged. This panel is used to identify the IgH partner gene in myeloma, which has prognostic impact. IgH rearrangements are found in 55-70% of myelomas. Together t(4;14), t(11;14), t(14;16) and t(14;20) are found in approximately 35% of myelomas and in 90% of myelomas when there is an IgH gene rearrangement present.

To learn more about the importance of FISH testing with plasma cell enrichment in multiple myeloma, please visit<u>Multiple</u> <u>Myeloma Cytogenetic Analysis</u> resource page.

Specimen Requirements

- Bone Marrow Aspirate: 1-2mL Sodium Heparin Tube. EDTA tube is acceptable
- **Peripheral Blood:** Plasma cell enrichment was not validated using peripheral blood; therefore, it is not recommended as a screening specimen unless increased plasma cells are seen on blood smear. 2-5mL sodium heparin tube. EDTA tube is acceptable.
- Fresh, Unfixed Tissue: Tissue in RPMI
- Bone Marrow/ Peripheral Blood Smear or Fresh Tissue Touch Preparation Slides: minimum 4 slides labeled with specimen type.
- Fluids: Equal parts RPMI to specimen volume.
- Fixed Cell Suspension: A client fixed cell suspension may be submitted for testing as long as it is received in 3:1 Methanol:Glacial Acetic Acid.
- Paraffin Block or Cut Slide: N/A
- Note: Please exclude biopsy needles, blades, and other foreign objects from transport tubes. These can compromise specimen viability and yield, and create hazards for employees.

Storage & Transportation

Refrigerate specimen. Do not freeze. Use cold pack for transport, making sure cold pack is not in direct contact with specimen. Specimens should be received in our laboratory within 72 hours of collection.

CPT Code(s)*

88374x4 automated or 88377x4 manual

New York Approved

Yes

Level of Service

Technical, Global

Turnaround Time

3-5 days

*The CPT codes provided with our test descriptions are based on AMA guidelines and are for informational purposes only. Correct CPT coding is the sole responsibility of the billing party.

Please direct any questions regarding coding to the payor being billed.

NeoGenomics Laboratories is a specialized oncology reference laboratory providing the latest technologies, testing partnership opportunities, and interactive education to the oncology and pathology communities. We offer the complete spectrum of diagnostic services in molecular testing, FISH, cytogenetics, flow cytometry, and immunohistochemistry through our nation-wide network of CAP-accredited, CLIA-certified laboratories.

Committed to research as the means to improve patient care, we provide Pharma Services for pharmaceutical companies, in vitro diagnostic manufacturers, and academic scientist-clinicians. We promote joint publications with our client physicians. NeoGenomics welcomes your inquiries for collaborations. Please contact us for more information.

*The CPT codes provided with our test descriptions are based on AMA guidelines and are for informational purposes only. Correct CPT coding is the sole responsibility of the billing party.

Please direct any questions regarding coding to the payor being billed.



9490 NeoGenomics Way Fort Myers, FL 33912 Phone: 239.768.0600/ Fax: 239.690.4237 neogenomics.com © 2024 NeoGenomics Laboratories, Inc. All Rights Reserved. All other trademarks are the property of their respective owners Rev. 051524